Dongguan Landtool New Materials Co., Ltd

MATERIALS SAFETY DATA SHEET

Vision (1): 2019/10/10

1、CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Trade name LT-603

Product Liability Unit Dongguan Landtool New Materials Co., Ltd

Address No 76, Changdong Road, Changping Town, Dongguan City,

Guangdong Province, China

Supplier Dongguan Landtool New Materials Co., Ltd

Emergency Counseling Information: Tel (0769) 88600553 Fax (0769)88600553

Headquarters: Tel (0769) 88600553 Fax (0769)88600553

2, HAZARDS IDENTIFICATION

Hazard Description H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautions: Prevention P264 After treatment, thoroughly clean the skin.

P280 Wear protective gloves/protective clothing/eye

protection/face protection.



GHS Pictograms & Hazards

3、COMPOSITION /INFORMATION ON INGREDIENTS

Chemical Name Special multicomponent copolysiloxane

Major Ingredients

Substance	CAS No.	EC No.	Proportion
Poly(dimethylsiloxane)	63148-62-9	203-492-7	45-50%
Isomeric alcohol ethoxylates	9043-30-5	-	10-20%

Field of application

Textile Processing Chemicals

4, FIRST AID MEASURES

Response

P302 + P352 such as skin contact: wash with plenty of soap

and water.

P305 + P351 + P338 + P310 If you enter the eye: rinse with
water for a few minutes. Remove contact lenses if present
and easy to do. Continue to rinse immediately call the
detoxification center or doctor.
P332 + P313 If skin irritation occurs: Get medical advice /
attention.
P362 Take off contaminated clothing and then re-use before
cleaning.

5, FIRE FIGHTING MEASURES

Fire extinguishing agents Choose extinguishing agents taking into

account the surroundings

Restrictions NO restrictions

Fire/explosion hazard None

Main combustion gas Nitrous gases and ammonic gases

Personal protection Self contained breathing apparatus

6. EMERGENCY TREATMENT

Personal protection Tightly fitting safety goggles, Protective rubber gloves

Keep unprotected persons away

Environmental precautions Prevent material from reaching sewage systems, holes and

cells. Don't allow to enter the ground/soil

Processing method of leakage Spade into containers labeled as chemical

Waste treatment

7. HANDLING AND STORAGE

Fire precautions NO special measures required

Storage facilities Store in a cool, dry area with adequate ventilation

Storage conditions Sensitive to cold under -10°C

Sensitive to heat over 40 ℃

Ensure good ventilation/exhaustion at the workplace

Keep containers closed

8, EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure limits See national regulations

Personal protection Tightly fitting safety goggles, Protective rubber gloves

Sanitary measures Exposure to chemical substances, clean the

forearm and face before eating and smoking

9、PHYSICAL AND CHEMICAL PROPERTIES

Appearance color Transparent or pale yellow viscous liquid

Odor A faint characteristic odor

The boiling point Non-information

Flashing point Not applicable

Natural temperature Non flammable (Solid state, Liquid)

Explosion limit Non-information

The explosion properties No explosion

Relative density Non-information

Solubility Decompose

Solubility in water Disperses

PH value About 6.0~8.0

Dynamic viscosity Not applicable

10, STABILLTY AND REACTIVITY

Chemical stability This product is stable

Avoid contact with the condition

To prevent temperature about 40°C

Avoid contact with the material

Strong acid, strong alkali, strong oxidizing agents

Hazardous decomposition products

Such as product according to the proposed approach

is used, does not release the dangerous substances

11, TOXICOLOGICAL INFORMATION

Inhale Move to fresh air

Skin contact Remove contaminated clothing, wash with soap and

plenty of water in contact with skin

Eye contact Immediately with plenty of water for at least 10 minutes

Ingestion Rinse thoroughly with water, drink plenty of water

 LD_{50} Ingestion > 2000mg/kg Rat

LC₅₀ inhalation of vapors 51.3mg/m³ Rat

Preliminary skin irritation test Stimulation Rabbits

Supplementary information Acute toxicity is similar to the composition of the

product tests carried out

12, ECOLOGICAL INFORMATION

Ecotoxicity data

Toxicity to fish LC_{50} >100mg/L 96 hours

Metal content Metal content of less than dye manufacturing ecology

and toxicology Association recommended limit

Supplementary information Does not contain formaldehyde, glyoxal and

other substances

Does not contain azo, nitroso and other carcinogenic substances

13 DISPOSAL CONSIDERATIONS

Product Must be connected to the local regulations or dumped

into landfill incineration

Contaminated packaging Contaminated packaging must be disposed of as

chemical waste

Handling Avoid spillage spreading and flow away, or contact

with soil, waterways, drains and sewers

14、TRANSPORT INFORMATION

Road/railroad transportation ADR/RID:

Not classified as dangerous in the meaning of transport regulations

Sea carriage IMDG: Not classified as dangerous in the meaning of transport regulations

Air transportation LCAO-TI and IATA-DGR:

Not classified as dangerous in the meaning of transport regulations

15 REGULATORY INFORMATION

Hazard symbol

Applicable regulations Workplace safe use of chemicals

[(1996) Ministry of Labor No. 423]

Chemical classification and hazard

communication General [GB 13690-2009]

Protective measures Adaptation of safety goggles, rubber gloves

Inhale Move to fresh air

Skin contact Remove contaminated clothing, wash with soap and

plenty of water in contact with skin

Eye contact Immediately with plenty of water for at least 10 minutes

Waste Disposal This product, dispose of the container shall comply

with all local, regional, national and international law

16. OTHER INFORMATION

Liaison (0769) 88600553

Producer Dongguan Landtool New Materials Co., Ltd

User In all cases, it is the responsibility of the user to determine

the applicability of such information and recommendations

and the suitability of any product for its own particular

purpose.

This information is prepared based on our current knowledge and therefore does not guarantee certain properties entirely correct to accept the product receiving personnel, should bear the responsibility to comply with existing laws and regulations.